

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	"5754659".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 09:48
L5	11	(US-20040019785-\$).did. or (US-6272631-\$ or US-7007159-\$ or US-6381693-\$ or US-6425081-\$ or US-6401201-\$ or US-6185678-\$ or US-6253324-\$ or US-6959184-\$ or US-7073059-\$ or US-5754659-\$).did.	US-PGPUB ; USPAT	OR	ON	2006/12/08 09:48
S1	5	"693378".ap.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:13
S2	14	hyser-chris\$7-\$..in.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 18:36
S3	34206	(hewlett adj packard or hewlett-packard).as.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 18:38
S5	385	713/175.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 18:39
S7	6	(secur\$5 near3 boot\$5 near3 (environment or architecture or computer)) and (key near5 distribut\$5 near3 (manag\$6 or monitor\$2 or stat\$2 or mode or module))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 18:52
S8	1	"6185678".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 18:47
S9	2686	713/2.ccls. or 726/14.ccls. or 726/27.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 18:48

EAST Search History

S11	50	(US-20050091496-\$ or US-20050141717-\$ or US-20050195778-\$ or US-20020157010-\$ or US-20040243993-\$ or US-20060174109-\$ or US-20040268339-\$ or US-20050144468-\$ or US-20050149746-\$ or US-20020021805-\$ or US-20030120610-\$ or US-20050278787-\$ or US-20060010326-\$ or US-20050216757-\$ or US-20060155988-\$ or US-20060161790-\$ or US-20060253702-\$ or US-20050123135-\$ or US-20060174240-\$ or US-20060075223-\$).did. or (US-5748740-\$ or US-6105013-\$ or US-6209099-\$ or US-4849927-\$ or US-6003135-\$ or US-5937063-\$ or US-6138236-\$ or US-6026293-\$ or US-6185678-\$ or US-4489414-\$ or US-6219793-\$ or US-6157919-\$ or US-4897875-\$ or US-5493613-\$ or US-5590198-\$ or US-5757918-\$ or US-5781724-\$ or US-6038549-\$ or US-6064989-\$ or US-6434238-\$ or US-6490679-\$ or US-6000032-\$ or US-5633934-\$ or US-6385739-\$ or US-5027317-\$ or US-5940510-\$).did. or (US-5949880-\$ or US-5883956-\$ or US-4918653-\$ or US-5488356-\$).did.	US-PGPUB ; USPAT	OR	ON	2006/12/06 06:46
S12	2686	713/2.ccls. or 726/14.ccls. or 726/27.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:47
S13	385	713/175.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:47

EAST Search History

S14	4	S11 and (S12 or S13)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:47
S15	6	(secur\$5 near3 boot\$5 near3 (environment or architecture or computer)) and (key near5 distribut\$5 near3 (manag\$6 or monitor\$2 or stat\$2 or mode or module))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:50
S17	1440	(secur\$5 near3 boot\$5 near3 (environment or architecture or computer)) or (key near5 distribut\$5 near3 (manag\$6 or monitor\$2 or stat\$2 or mode or module))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:50
S19	2	S14 and S17	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:51
S20	68	S17 and (S12 or S13)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:51
S21	12	@prad<="20031023" and S20	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:53
S22	20	@rlad<="20031023" and S20	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:54
S23	50	@ad<="20031023" and S20	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:54
S24	57	S21 or S22 or S23	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 06:54

EAST Search History

S25	29	(US-20030023872-\$ or US-20050060568-\$ or US-20030028829-\$ or US-20030226031-\$ or US-20060031790-\$ or US-20060075264-\$ or US-20030159056-\$ or US-20050071677-\$ or US-20040039924-\$ or US-20020180778-\$ or US-20030037237-\$).did. or (US-7017056-\$ or US-6148402-\$ or US-5940590-\$ or US-6516427-\$ or US-5771240-\$ or US-5351293-\$ or US-7073059-\$ or US-7069439-\$ or US-6804813-\$ or US-5999741-\$ or US-7121460-\$ or US-6845464-\$ or US-5832254-\$ or US-5109413-\$ or US-6185678-\$ or US-6959184-\$ or US-5404532-\$).did. or (GB-2387678-\$).did.	US-PGPUB ; USPAT; EPO	OR	ON	2006/12/06 06:59
S26	8	(US-20050071677-\$ or US-20030028829-\$ or US-20030159056-\$ or US-20030037237-\$).did. or (US-5448045-\$ or US-6185678-\$ or US-6959184-\$ or US-5404532-\$).did.	US-PGPUB ; USPAT	OR	ON	2006/12/06 07:00

EAST Search History

S28	29	(US-20030023872-\$ or US-20050060568-\$ or US-20030028829-\$ or US-20030226031-\$ or US-20060031790-\$ or US-20060075264-\$ or US-20030159056-\$ or US-20050071677-\$ or US-20040039924-\$ or US-20020180778-\$ or US-20030037237-\$).did. or (US-7017056-\$ or US-6148402-\$ or US-5940590-\$ or US-6516427-\$ or US-5771240-\$ or US-5351293-\$ or US-7073059-\$ or US-7069439-\$ or US-6804813-\$ or US-5999741-\$ or US-7121460-\$ or US-6845464-\$ or US-5832254-\$ or US-5109413-\$ or US-6185678-\$ or US-6959184-\$ or US-5404532-\$).did. or (GB-2387678-\$).did.	US-PGPUB ; USPAT; EPO	OR	ON	2006/12/06 07:01
S29	2686	713/2.ccls. or 726/14.ccls. or 726/27.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 07:01
S30	385	713/175.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 07:01
S31	1440	(secur\$5 near3 boot\$5 near3 (environment or architecture or computer)) or (key near5 distribut\$5 near3 (manag\$6 or monitor\$2 or stat\$2 or mode or module))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:44
S32	68	S31 and (S29 or S30)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 07:02
S33	2	S32 and (S26 or S28)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 07:02

EAST Search History

S34	50	(US-20050091496-\$ or US-20050141717-\$ or US-20050195778-\$ or US-20020157010-\$ or US-20040243993-\$ or US-20060174109-\$ or US-20040268339-\$ or US-20050144468-\$ or US-20050149746-\$ or US-20020021805-\$ or US-20030120610-\$ or US-20050278787-\$ or US-20060010326-\$ or US-20050216757-\$ or US-20060155988-\$ or US-20060161790-\$ or US-20060253702-\$ or US-20050123135-\$ or US-20060174240-\$ or US-20060075223-\$).did. or (US-5748740-\$ or US-6105013-\$ or US-6209099-\$ or US-4849927-\$ or US-6003135-\$ or US-5937063-\$ or US-6138236-\$ or US-6026293-\$ or US-6185678-\$ or US-4489414-\$ or US-6219793-\$ or US-6157919-\$ or US-4897875-\$ or US-5493613-\$ or US-5590198-\$ or US-5757918-\$ or US-5781724-\$ or US-6038549-\$ or US-6064989-\$ or US-6434238-\$ or US-6490679-\$ or US-6000032-\$ or US-5633934-\$ or US-6385739-\$ or US-5027317-\$ or US-5940510-\$).did. or (US-5949880-\$ or US-5883956-\$ or US-4918653-\$ or US-5488356-\$).did.	US-PGPUB ; USPAT	OR	ON	2006/12/06 07:02
S35	2	S32 and S34	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 07:03
S36	1091	block and S31	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 07:04

EAST Search History

S37	61	S36 and (S29 or S30 or S26 or S28 or S34)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 07:06
S38	3	S36 and (S26 or S28)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 08:05
S39	896	executable adj image	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 08:06
S40	1	S39 and (S34 or S28 or S26)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 08:07
S41	31	S39 and (S29 or S30)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 08:07
S42	109526	authenticat\$4 or authentic\$4	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:16
S43	1021	S42 and (S29 or S30)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:14
S44	7	S43 and S41	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:14
S45	4784	S42 near5 image	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:17
S46	773	(S42 and verif\$6) near5 image	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:23
S48	2	S46 and S41	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:19

EAST Search History

S50	16	S46 and S43	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 10:21
S54	1440	(secur\$5 near3 boot\$5 near3 (environment or architecture or computer)) or (key near5 distribut\$5 near3 (manag\$6 or monitor\$2 or stat\$2 or mode or module))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 14:02
S55	109526	authentikat\$4 or authentic\$4	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:45
S56	773	(S55 and verif\$6) near5 image	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:49
S57	7	S54 and S56	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:46
S58	1282	(key near5 distribut\$5 near3 (manag\$6 or monitor\$2 or stat\$2 or mode or module))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:48
S59	2	S57 and S58	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:48
S60	9930	(S55 or verif\$6) near5 image	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:50
S61	31	S54 and S60 and S58	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 13:50
S62	164	(secur\$5 near3 boot\$5 near3 (environment or architecture or computer))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 14:02
S63	3	S62 and S60 and S58	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 14:28

EAST Search History

S64	3	S63 and (block or header or field)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 14:36
S65	1	"7007159".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 14:49
S66	385	713/175.ccls.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:37
S67	5	S66 and S62	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:20
S68	8	S66 and (authentication adj (block or header or field))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:42
S70	469	("380" or "726" or "713").clas. and (authentication adj (block or header or field))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:00
S71	461	S70 not S68	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:44
S72	352	@ad<="20031023" and S71	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:00
S73	131	@rlad<="20031023" and S71	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:01
S74	77	@prad<="20031023" and S71	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:01
S75	399	S72 or S73 or S74	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:53

EAST Search History

S78	314	S75 and (\$2crypt\$12 near6 key)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:57
S79	77	S75 and ((authentication adj (block or header or field)) same (\$2crypt\$12 near6 key))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:02
S80	46871	("380" or "726" or "713").clas.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:00
S81	35610	@ad<="20031023" and S80	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:01
S82	10124	@rlad<="20031023" and S80	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:01
S83	11886	@prad<="20031023" and S80	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:01
S84	39717	S81 or S82 or S83	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:01
S85	78	S84 and ((authentication adj (block or header or field)) same (\$2crypt\$12 near6 key))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:05
S86	15	S84 and ((authentication adj (block or header or field)) near6 (\$2crypt\$12 near6 key))	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:18
S87	19	S85 and (digital adj signature)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 17:19

EAST Search History

S88	11	(US-20040019785-\$ or US-20050071677-\$ or US-20040230791-\$).did. or (US-7007159-\$ or US-5214695-\$ or US-6425081-\$ or US-6915426-\$ or US-6948067-\$ or US-5586036-\$ or US-5864683-\$ or US-6185678-\$).did.	US-PGPUB ; USPAT	OR	ON	2006/12/07 06:59
S89	9	"6381693".pn. or "223808".ap.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 13:05
S90	1	"6272631".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 13:06
S91	14	(US-20040019785-\$ or US-20050071677-\$ or US-20040230791-\$).did. or (US-7007159-\$ or US-5214695-\$ or US-6425081-\$ or US-6915426-\$ or US-6948067-\$ or US-5586036-\$ or US-5864683-\$ or US-6185678-\$ or US-6401201-\$ or US-6381693-\$ or US-6272631-\$).did.	US-PGPUB ; USPAT	OR	ON	2006/12/07 15:14
S92	0	S91 and (hash\$3 near3 executable near3 image)	US-PGPUB ; USPAT	OR	ON	2006/12/07 15:15
S93	0	S91 and (\$hash\$3 near3 executable near3 image)	US-PGPUB ; USPAT	OR	ON	2006/12/07 15:16
S94	8	(\$hash\$3 near3 executable near3 image)	US-PGPUB ; USPAT	OR	ON	2006/12/07 15:16